

1500P II Beam - DMX Protocol

evision: A						Valid fro	om tirmwai	re version: 1.0	
andard (25ch)	DMX mode Basic (23ch)	Extended (31ch)	Name	DMX value		DMX percentage		Function	Default DMX Value
				0	31	0.0%	12.2%	Closed	
				32	63	12.5%	24.7%	Open	_
1	1	1	Strobe/Shutter	64	127	25.1%	49.8%	Synchronous strobe from slow to fast	0(0%)
				128 160	159 223	50.2%	62.4%	Open	_
				224	255	62.7% 87.8%	87.5% 100.0%	Random strobe from slow to fast Open	
2	2	2		0	255	0.0%	100.0%	No light → Full light	
3	_	3	Intensity	0	65535	0.0%	100.0%	Intensity fade, fine (LSB)	0(0%)
4	3	4		0	255	0.0%	100.0%	White → Full cyan	
		5	Cyan	0	65535	0.0%	100.0%	Cyan fade, fine (LSB)	0(0%)
5	4	6	Manager	0	255	0.0%	100.0%	White → Full magenta	0(00()
		7	Magenta	0	65535	0.0%	100.0%	Magenta fade, fine (LSB)	0(0%)
6	5	8	Yellow	0	255	0.0%	100.0%	White → Full yellow	0(0%)
		9	Tellow	0	65535	0.0%	100.0%	Yellow fade, fine (LSB)	0(078)
	6			0	15	0.0%	5.9%	CMY color macro off	
7		10	CMY color macro	16	135	6.3%	52.9%	CMY synchronous color from slow to fast	0(0%)
				136	255	53.3%	100.0%	CMY random color from slow to fast	
8	7	11	СТО	0	255	0.0%	100.0%	Warm → Cold	0(0%)
		12		0	65535	0.0%	100.0%	CTO fade, fine (LSB)	` ′
				0	15	0.0%	5.9%	Open	
				16	31	6.3%	12.2%	Color 1	_
			Color wheel	32	47	12.5%	18.4%	Color 2	_
				48	63	18.8%	24.7%	Color 3	
9	8	42		64	79	25.1%	31.0%	Color 4	0/00/
9		13		80	95 111	31.4%	37.3%	Color 5 Color 6	0(0%)
				96 112	127	37.6% 43.9%	43.5% 49.8%	Color 7	-
				128	187	50.2%	73.3%	Color continous rotation CW from slow to fast	
				188	195	73.7%	76.5%	Stop	_
				196	255	76.9%	100.0%	Color continous rotation CCW from slow to fast	
				0	9	0.0%	3.5%	Open gobo	+
				10	19	3.9%	7.5%	Gobo 1	
				20	29	7.8%	11.4%	Gobo 2	
				30	39	11.8%	15.3%	Gobo 3	1
				40	49	15.7%	19.2%	Gobo 4	Ī
10				50	59	19.6%	23.1%	Gobo 5	Ī
	9	14	Rotating gobo wheel 1	60	69	23.5%	27.1%	Gobo 6	0(0%)
				70	79	27.5%	31.0%	Gobo 1 shake	
				80	89	31.4%	34.9%	Gobo 2 shake	
				90	99	35.3%	38.8%	Gobo 3 shake	
				100	109	39.2%	42.7%	Gobo 4 shake	
				110	119	43.1%	46.7%	Gobo 5 shake	
				120	127	47.1%	49.8%	Gobo 6 shake	
				128	187	50.2%	73.3%	Gobo wheel continous rotation CW from slow to fast	
				188	195	73.7%	76.5%	Stop	
				196	255	76.9%	100.0%	Gobo wheel continous rotation CCW from slow to fast	
				0	127	0.0%	49.8%	Gobo rotation/positioning	0(0%)
11	10	15 16	Gobo rotating/positioning gobo wheel 1	128	187	50.2%	73.3%	Gobo continous rotation CW from slow to fast	
				188	195	73.7%	76.5%	Stop	
				196	255	76.9%	100.0%	Gobo continous rotation CCW from slow to fast	
12				0	65535	0.0%	100.0%	Gobo rotation/positioning, fine (LSB)	
				0	15	0.0%	5.9%	Open	
				16	23	6.3%	9.0%	Gobo 1	
				24	31	9.4%	12.2%	Gobo 2	
				32	39	12.5%	15.3%	Gobo 3	
				40	47	15.7%	18.4%	Gobo 4	4
				48	55	18.8%	21.6%	Gobo 5	
	11	17	Gobo wheel (static)	56	63	22.0%	24.7%	Gobo 6	0(0%)
				64	71	25.1%	27.8%	Gobo 7	
13				72	79	28.2%	31.0%	Gobo 1 shake	
				80	87 05	31.4%	34.1%	Gobo 2 shake	
				88	95 103	34.5%	37.3%	Gobo 3 shake	
				96 104	103	37.6%	40.4%	Gobo 4 shake	1
				112	111 119	40.8% 43.9%	43.5% 46.7%	Gobo 5 shake Gobo 6 shake	1
				112	119	43.9%	46.7%	Gobo 7 shake	1
				120	127	50.2%	73.3%	Gobo Wheel continous rotation CW from slow to fast	1
				188	195	73.7%	73.3% 76.5%	Stop	1
				196	255	76.9%	100.0%	Gobo wheel continous rotation CCW from slow to fast	1
14	12	18	Iris	196	255	0.0%	100.0%	Open → Close	0(0%
14	12	10	IIIS	0	255 31	0.0%	100.0%	Disable Iris macro	0(0%
		19		32	63	12.5%	12.2% 24.7%	Effect - Synchronous open from fast to slow	0(0%)
			Iris macro	32 64	95	12.5% 25.1%	24.7% 37.3%	Effect - Synchronous off from slow to fast	
				. 04	30	20.170	37.370	Ojiioiii olioud oli ilolli diow to ladt	
15	13	19	Iris macro		197	37 6%	40 80/	Effect - Random open from slow to fast	0(0%
15	13	19	Iris macro	96 128	127 159	37.6% 50.2%	49.8% 62.4%	Effect - Random open from slow to fast Effect - Random off from fast to slow	0(0%

	ı	1	I	192	255	75.3%	100.0%	Disable Iris macro	_
16	14	20		0	255	0.0%	100.0%	Near → Far	
16	14	21	Focus	0	65535	0.0%	100.0%	Focus, fine (LSB)	0(0%)
		21		0	79	0.0%	31.0%	White → Full frost	
17	15	22	Frost/Zoom	80	79 255	31.4%	100.0%	Narrow → Wide	0(0%)
		23		0	65535	0.0%	100.0%	Zoom, fine (LSB)	
		23		0	31	0.0%	12.2%	Off	
18	16	24	Prism		255			On	0(0%)
				32	127	12.5%	100.0%	Prism indexed	
			Prism rotation	128	187	0.0%	49.8%	Prism indexed Prism continous rotation CW from slow to fast	0(0%)
19	17	25			195	50.2% 73.7%	73.3% 76.5%	Stop	
				188	255			Prism continous rotation CCW from slow to fast	
20	40	00		196		76.9%	100.0%		
20	18	26	Pan	0	255	0.0%	100.0%	Pan	
21	19	27		0	65535	0.0%	100.0%	Pan, fine (LSB)	
22	20	28	Tilt	0	255	0.0%	100.0%	Tilt	0(0%)
23	21	29		0	65535	0.0%	100.0%	Tilt, fine (LSB)	- ()
24	22	30	Scan speed	0	255	0.0%	100.0%	Scan speed from fast to slow	0(0%)
	23	31	Special controls	0	9	0.0%	3.5%	No function	0(0%)
				10	19	3.9%	7.5%	Open light after 5 seconds	
				20	29	7.8%	11.4%	Close light after 5 seconds	
				30	39	11.8%	15.3%	Color wheel half color switch	
				40	49	15.7%	19.2%	Color wheel random positioning	
				50	59	19.6%	23.1%	Reserved	
				60	69	23.5%	27.1%	Reset all motor after 5 seconds	
				70	79	27.5%	31.0%	Scan motor reset after 5 seconds	
				80	89	31.4%	34.9%	All color motor reset after 5 seconds	
				90	99	35.3%	38.8%	All gobo motor reset after 5 seconds	
				100	109	39.2%	42.7%	All strobe motor reset after 5 seconds	
25				110	119	43.1%	46.7%	Other motor reset after 5 seconds	
				120	129	47.1%	50.6%	Built-in program 1	
				130	139	51.0%	54.5%	Built-in program 2	
				140	149	54.9%	58.4%	Built-in program 3	
				150	159	58.8%	62.4%	Built-in program 4	
				160	169	62.7%	66.3%	Built-in program 5	
				170	179	66.7%	70.2%	Built-in program 6	
				180	189	70.6%	74.1%	Built-in program 7	
				190	199	74.5%	78.0%	Built-in program 8	
				200	209	78.4%	82.0%	Built-in program 9	
				210	219	82.4%	85.9%	Built-in program 10	
				220	255	86.3%	100.0%	Voice control	